

Message

From: Capacasa, Jon [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=85A0B5B637AB47F4B93C10CC822A7FDB-JCAPACAS]
Sent: 12/15/2015 3:16:23 PM
To: Johnson, KarenD [Johnson.KarenD@epa.gov]
CC: Reinhart, Roger [Reinhart.Roger@epa.gov]; rogers, rick [rogers.rick@epa.gov]
Subject: FW: PFOA - Hoosick Falls, NY

Karen – would you please connect with John Filippelli in Region 2 over this PFOA matter. I think this is more in the same vein of helping Region 2 with our approach to the PFOA issue in DW...

Let me know if you need my help – John is one of my counterparts in R2.

From: Armstead, John A.
Sent: Tuesday, December 15, 2015 9:33 AM
To: Filippelli, John <Filippelli.John@epa.gov>
Cc: Guerriero, Margaret <guerriero.margaret@epa.gov>; Iglesias, Ariel <Iglesias.Ariel@epa.gov>; Simon, Paul <Simon.Paul@epa.gov>; Everett, Adolph <Everett.Adolph@epa.gov>; Azzam, Nidal <Azzam.Nidal@epa.gov>; Capacasa, Jon <Capacasa.jon@epa.gov>
Subject: Re: PFOA - Hoosick Falls, NY

John, I am referring your message to Jon Capacasa, the Region 3 Water Director. This matter is in his wheelhouse and his staff should be able to assist you.

Sent from John Armstead's EPA iPhone

On Dec 15, 2015, at 9:19 AM, Filippelli, John <Filippelli.John@epa.gov> wrote:

Margaret and John,

Region 2 is dealing with a case of PFOA contamination in groundwater and drinking water that has recently come to our attention. The PFCs have been found on a PWS and private residential drinking water wells in Hoosick Falls, NY. In the course working on this issue, we received the below email and attached letter which includes correspondence to Regions 3 and 5 about DuPont's Washington Works in WV. We'd like to touch base with your folks to see if you can share your experience with the cases in your Regions and what role RCRA and other programs played. I'd appreciate if you could please let us know who would be a good person to contact.

Thanks.

John Filippelli
Division Director
Clean Air and Sustainability Division
U.S. EPA - Region 2
(212) 637-3736
filippelli.john@epa.gov

From: Bilott, Robert A. [<mailto:bilott@taftlaw.com>]
Sent: Monday, December 14, 2015 12:02 PM
To: themayorhf@gmail.com; bpws@health.ny.gov
Cc: Enck, Judith <Enck.Judith@epa.gov>; btsa@health.ny.gov
Subject: PFOA - Hoosick Falls, NY

Please see attached. Thank you.

Taft /

Robert A. Bilott / Partner
Taft Stettinius & Hollister LLP
425 Walnut Street, Suite 1800
Cincinnati, Ohio 45202-3957
Tel: 513.381.2838 • Fax: 513.381.0205
Direct: 513.357.9638 • Cell: 513.477.7655
www.taftlaw.com / bilott@taftlaw.com

This message may contain information that is attorney-client privileged, attorney work product or otherwise confidential. If you are not an intended recipient, use and disclosure of this message are prohibited. If you received this transmission in error, please notify the sender by reply e-mail and delete the message and any attachments.

<[Untitled].pdf>